

## Cardiovascular Diseases in Clark County

### Top 10 Leading Causes of Death

Heart disease was the #1 cause of death among Clark County residents in 2022, at 217.8 deaths per 100,000 people (Figure 1). Cerebrovascular diseases were the fourth leading cause of death among Clark County residents in 2022 (Figure 1).

**Heart Disease** and **Cerebrovascular Diseases** fall within top 10 leading causes of death in Clark County in 2022.\*

Age-adjusted death rate per 100,000. \*Data are preliminary.




Figure 1: Top 10 leading causes of death in Clark County in 2022.

### Cardiovascular Diseases Over Time

Rates of heart disease deaths and cerebrovascular disease deaths have been increasing since 2012 (Figure 2).

Heart disease and cerebrovascular disease death rates are increasing over time in Clark County.  
Age-adjusted death rates per 100,000. \*Data are preliminary.




Figure 2: Cardiovascular diseases in Clark County from 2012-2022.

### Cardiovascular Disease Demographics

In Clark County, heart disease mortality rates are higher for men than for women (Figure 3). People who are black are disproportionately affected by all cardiovascular diseases (Figure 4).

In Clark County, heart disease affects more **males** than **females**.  
Age-adjusted death rates per 100,000, 2018-2022. 2022 data are preliminary.




Figure 3: Cardiovascular diseases in Clark County by sex from 2018-2022.

In Clark County, **Black** people are disproportionately affected by cardiovascular diseases than **white** people.  
Age-adjusted death rates per 100,000, 2018-2022. 2022 data are preliminary.




Figure 4: Cardiovascular diseases in Clark County by race from 2018-2022.